## Menstrual Hygiene Practices and Experiences Supplement

#### **Table of Contents**

Introduction	2
Overview of Menstrual Hygiene Practices: Menstrual Practices Questionnaire (MPQ)	3
Menstrual Hygiene Practice: MPQ Survey Questions in AMEHC	5
Overview of Soiling Experiences	. 11
Soiling Experiences Survey Questions in AMEHC	. 13
Overview of Menstrual Hygiene Experiences: Menstrual Practice Needs Scale (MPNS)	. 14
Menstrual Hygiene Experience: MPNS Survey Questions in AMEHC	. 15
References	. 20



#### **Introduction**

Caring for the body during menstruation in a way that is effective, supports hygiene, comfort and the preferences of women, adolescent girls and people who menstruate is essential for menstrual health. Menstrual hygiene practices refer to the actions taken to collect menstrual blood, handle menstrual materials/products and clean the body. Synthesis of past qualitative research has found that menstrual practices are a distinct construct from women's, girls' and people who menstruates' experience of enacting self-care behaviors. Soiling is another construct that is closely related to menstrual hygiene practices and experiences. It describes the unintentional leaking or staining of materials with menstrual blood.

Reasons to include **menstrual hygiene practice** measures in your work:

- To describe current practices among participants
- To explore the relationship between menstrual hygiene practices and urogenital infections
- To explore factors that influence menstrual hygiene practice

Reasons to include **soiling** measures in your work:

- To describe current soiling experiences among participants
- To explore the relationship between soiling and life outcomes such as social participation

Reasons to include **menstrual hygiene experience** measures in your work:

- To understand participants' experiences of menstrual blood management (menstrual hygiene practices, and any difficulties they experience.
- To explore the relationship between menstrual hygiene experiences and life outcomes such as education, sexual and reproductive health and mental health.
- To understand factors that may support improved menstrual hygiene experiences

### Overview of Menstrual Hygiene Practices: Menstrual Practices Questionnaire (MPQ)

Definition	All of the activities undertaken in order to collect, contain, and		
	remove menstrual blood from the body.1		
Importance to	Menstrual practices affect the daily experiences of		
Menstrual Health	menstruation from the materials that people who menstruate		
	use, where they change their menstrual materials, and how		
	often they wash their hands and genitals. <sup>1,2</sup> Collecting data on		
	the ways people who menstruate manage their periods can help		
	us understand their menstrual hygiene routines and		
	vulnerability to physical health outcomes such as reproductive		
	tract irritation and irritation. <sup>3–8</sup>		
Measurement	All questions: Self-reported by girls on an enumerator		
Method	enumerator-administered survey		
General	1. The term "menstrual materials" in MPQ may need to be		
<b>Considerations</b> <sup>1</sup>	replaced with more familiar terminology.		
	2. All questions refer to the last menstrual period.		
	3. Not all questions are applicable for all respondents.		
	Researchers and public health practitioners should select		
	the appropriate questions for their situation.		
	4. Question order can be modified as appropriate and can be		
	integrated with questions from other surveys.		
<b>Question Source</b>	Menstrual Practices Questionnaire (MPQ): Hennegan, J.,		
	Nansubuga, A., Akullo, A., Smith, C., & Schwab, K.J., (2020). The		
	Menstrual Practices Questionnaire (MPQ): Development,		
	elaboration, and implications for future research. Global Health		
	Action, 13(1), 1829402.		
	https://doi.org/10.1080/16549716.2020.1829402		

Construct's Main Use in the AMEHC Study								
Proximal Ex	posure	Dist	tal Exposure fo	or:	Covariat	te for:	0	utcome for:
for:								
Physical H	lealth		Education					
		Ν	1ental Health					
			SRH					
	Included in the Following AMEHC Study Activities*							
Baseline	Baselin	е	Baseline	Su	b-cohort 1	Sub-coh	ort 2	Sub-cohort 3
Girls Survey	Guardia	ns	School Audit		Survey	Surve	ey	Survey
	Survey	/						
Х					Х	Х		Х

Wave 1 Survey	Wave 1 School Audit	Wave 2 Survey	Wave 2 Guardian Survey	Wave 2 School Audit	
Х		Х			

\*Specific questions varied over different data collection activities according to study needs.

Question Number	Question	Response Options
MPQ1	During your most recent menstrual period, what were all the materials you used to catch or absorb your menstruation? <i>Select all that apply</i>	<ul> <li>Cloth/towel</li> <li>Disposable sanitary pad (panty system)</li> <li>Disposable sanitary pad (belt system)</li> <li>Reusable sanitary pad</li> <li>Toilet paper</li> <li>Cotton wool</li> <li>Mattress</li> <li>Underwear alone (i.e. without other padding)</li> <li>Natural material (e.g., leaves, sand, grass)</li> <li>Period underwear</li> <li>Menstrual cup</li> <li>Tampon</li> <li>Disposable sanitary pad (panty system) and tissue together</li> <li>Other (specify)</li> </ul>

# Menstrual Hygiene Practice: MPQ Survey Questions in AMEHC

MPQ2	What was the menstrual material you used most often when you were <b>at home</b> during your most recent menstrual period?	<ul> <li>Cloth/towel</li> <li>Disposable sanitary pad (panty system)</li> <li>Disposable sanitary pad (belt system)</li> <li>Reusable sanitary pad</li> <li>Toilet paper</li> <li>Cotton wool</li> <li>Mattress</li> <li>Underwear alone (i.e. without other padding)</li> <li>Natural material (e.g., leaves, sand, grass)</li> <li>Period underwear</li> <li>Menstrual cup</li> <li>Tampon</li> <li>Disposable sanitary pad (panty system) and tissue together</li> <li>Disposable sanitary pad (belt system) and tissue together</li> <li>Other (specify)</li> </ul>
MPQ1_clothtype	Were your cloths bought to be used for menstruation or used for something else first? Note: Only ask if the respondent answered "cloth/towel" to MPQ1	<ul> <li>Yes, bought to be used for menstruation</li> <li>No, used for something else first (e.g., clothes, bedding)</li> <li>Don't know</li> </ul>
MPQ3	Who pays for your menstrual materials? Select all that apply	<ul> <li>Materials were free (recycled)</li> <li>Myself</li> <li>Husband/boyfriend</li> <li>Mother</li> <li>Father</li> <li>Other family (specify)</li> <li>Provided by NGO</li> <li>Provided by school</li> <li>Other (specify)</li> </ul>
MPQ_panties	Do you wear panties every day, only when you have your period, or never?	<ul> <li>Every day</li> <li>During menstruation</li> <li>Never</li> </ul>

MPQD	Who usually makes decisions about the materials you use to absorb or catch menstrual blood?	<ul> <li>You</li> <li>Your parents (or guardian)</li> <li>You and your parents (or guardian) jointly</li> <li>Someone else</li> <li>Someone else and you jointly</li> </ul>
MPQ4	During your most recent menstrual period, how many times did you change your menstrual materials on the heaviest day of bleeding?	<ul> <li>1 time</li> <li>2 times (morning and evening)</li> <li>3 times (morning, evening, and once during the day</li> <li>4 times (morning, evening, twice during the day/night)</li> <li>More than 4 times</li> </ul>
MPQ5	Where did you most often change your menstrual materials when you were <b>at</b> <b>home</b> during your last period?	<ul> <li>Bedroom</li> <li>Bathroom (in the house)</li> <li>Bathroom (outside the house)</li> <li>Outside/bush</li> <li>Other (specify)</li> </ul>
Hands1	Did you wash your hands with soap before changing your menstrual materials during your last menstrual period?	<ul><li>Every time</li><li>Some of the time</li><li>None of the time</li></ul>
Hands2	Did you wash your hands with soap after changing your menstrual materials during your last menstrual period?	<ul> <li>Every time</li> <li>Some of the time</li> <li>None of the time</li> </ul>
MPQ6	Did you dispose of (throw away) any menstrual materials during your last period? Note: includes single-use materials and reusable materials at the end of their life	• No • Yes
MPQ6_wash	During your most recent period, did you wash your used menstrual pad before throwing it away?	• No • Yes

MPQ7	Where did you dispose of your used menstrual materials <b>at</b> <b>home</b> during your most recent period?	<ul> <li>Pit latrine</li> <li>Toilet</li> <li>Burned</li> <li>Household rubbish bin</li> <li>Took to community rubbish</li> <li>Brush/buried/river</li> <li>Drain</li> <li>Store for later disposal (by self)</li> <li>Store for later disposal (by someone else)</li> <li>Other (specify)</li> </ul>
MPQ7_storage	Where are your menstrual materials THEN disposed (after they have been stored)? Note: Only ask if the respondent answered "store for later disposal" to MPQ7	<ul> <li>Pit latrine</li> <li>Toilet</li> <li>Burned</li> <li>Household rubbish bin</li> <li>Took to community rubbish</li> <li>Brush/buried/river</li> <li>Drain</li> </ul>
MPQ6_wash	During your most recent period, did you wash your used menstrual pad before throwing it away? Note: Only ask if the respondent answered "disposable pad", or "disposable pad and tissue" to MPQ1	• No • Yes

MPQ_school	Did you attend any school during your most recent period? If not, when was the last time you attended school during your period?	<ul> <li>Yes, Participant attended some/any school during the last period.</li> <li>Participant attended no school during the last period, answers correspond to a period within the past 3 months.</li> <li>Participant attended no school during the last period, answers correspond to a period within the past 6 months.</li> <li>Participant did not attend school during menstruation during the past 6 months.</li> </ul>
MPQ8	During your most recent menstrual period, what did you use most often to catch or absorb your menstruation when you were at school?	<ul> <li>Cloth/towel</li> <li>Disposable sanitary pad (panty system)</li> <li>Disposable sanitary pad (belt system)</li> <li>Reusable sanitary pad</li> <li>Toilet paper</li> <li>Cotton wool</li> <li>Mattress</li> <li>Underwear alone (i.e. without other padding)</li> <li>Natural material (e.g., leaves, sand, grass)</li> <li>Period underwear</li> <li>Menstrual cup</li> <li>Tampon</li> <li>Other (specify)</li> </ul>
MPQ9	During your most recent menstrual period, where did you most often change your menstrual materials <b>during</b> <b>school hours</b> ?	<ul> <li>Went home to change</li> <li>Waited until home</li> <li>School bathroom</li> <li>Another room at school</li> <li>Another toilet or latrine (not at school)</li> <li>Outside/bushes</li> </ul>

MPQ10	What was the main place you disposed of your used menstrual materials <b>at school</b> during your most recent period?	<ul> <li>Took home to dispose</li> <li>Bin/bucket inside toilet/latrine</li> <li>Bin/bucket outside toilet/latrine</li> <li>Into the toilet</li> <li>Incinerator onsite</li> <li>Bush/buried/river</li> <li>Drain</li> </ul>
MPQ11	Did you wash and reuse any menstrual materials during your most recent period?	<ul> <li>No</li> <li>Yes</li> <li>Yes, but a female family/household member washes for me</li> </ul>
MPQ14	How often did you use soap or detergent to soak or wash your menstrual materials during your last period? Note: Materials means padding – things to absorb/collect menstrual blood	<ul> <li>Never</li> <li>Sometimes</li> <li>Every time</li> </ul>
MPQ15	Where did you most often dry your menstrual materials during your last menstrual period?	<ul> <li>Outside (hanging)</li> <li>Outside (hidden)</li> <li>Inside (hanging)</li> <li>Inside (hidden)</li> </ul>
MPQ15_sun	During your last period, how often did you dry your materials in the sun?	<ul><li>Never</li><li>Sometimes</li><li>Every time</li></ul>
MPQ16	When your menstrual materials were drying did you cover them with anything?	• No • Yes
MPQ17	How often, during your last period were your menstrual materials completely dry before you used them?	<ul><li>Never</li><li>Sometimes</li><li>Every time</li></ul>
MPQ18	During your last period, were your menstrual materials ironed before you used them?	• No • Yes

GW1	How often did you wash your genitals during your last menstrual period?	<ul> <li>At the end of my period only</li> <li>Every 2-3 days</li> <li>Once per day</li> <li>Twice per day</li> <li>Three or more times per day</li> </ul>
GW2	When you washed your genitals, did you use soap inside your vagina?	<ul><li>No</li><li>Sometimes</li><li>Yes</li></ul>
GW3	When you washed your genitals, did you use soap?	<ul> <li>No</li> <li>Some of the time</li> <li>Yes</li> </ul>

# Overview of Soiling Experiences

Definition	The unintentional leaking or staining of clothing, underwear, or
	other materials with menstrual blood.
Importance to	Society expects individuals to conceal their menstruation.9-12
Menstrual Health	Leaking menstrual blood, particularly onto outergarments
	where it can be seen has frequently been reported as a subject
	of stress and anxiety in studies with adolescent girls. Accidental
	leakage can lead to embarrassment and a reluctance to engage
	in class or social activities. <sup>9–12</sup> 2/10/2025 4:06:00 PM
Measurement	All questions: Self-reported by girls on an enumerator-
Method	administered survey
General	Depending on the context, the answer options may need to be
Considerations	changed. The answer options below are specific to Bangladesh.
	This was an enumerator-administered survey. If your survey will
	be self-administered, consider shortening the number of
	responses for soil5.
Question Source	Questions draw on past research from the study team, such as
	Hennegan, J., Bukenya, J. N., Makumbi, F. E., Nakamya, P.,
	Exum, N. G., Schwab, K. J., & Kibira, S. P. (2022). Menstrual
	health challenges in the workplace and consequences for
	women's work and wellbeing: a cross-sectional survey in
	Mukono, Uganda. PLOS Global Public Health, 2(7), e0000589.
	Hennegan, J., & Sol, L. (2020). Confidence to manage
	menstruation at home and at school: findings from a cross-
	sectional survey of schoolgirls in rural Bangladesh. Culture,
	health & sexuality, 22(2), 146-165.

Construct's Main Use in the AMEHC Study				
Proximal Exposure for:	Distal Exposure for:	Covariate for:	Outcome for:	
Social Participation	Education Mental Health			

	Included in the Following AMEHC Study Activities*				
Baseline	Baseline	Baseline	Sub-cohort 1	Sub-cohort 2	Sub-cohort 3
Girls Survey	Guardians	School Audit	Survey	Survey	Survey
	Survey				
Х			Х	Х	Х
Wave 1	Wave 1	Wave 2	Wave 2	Wave 2	
Survey	School Audit	Survey	Guardian	School Audit	
			Survey		
x		х			

\*Specific questions varied over different data collection activities according to study needs.

# Soiling Experiences Survey Questions in AMEHC

Question Number	Question	Response Options
Soil1	During your last menstrual period, did you experience any leaking or staining?	<ul><li>No</li><li>Yes</li></ul>
Soil2	What was soiled? Select all that apply	<ul> <li>Panties only</li> <li>Salawar (pants)</li> <li>Kameez (outer garment layer)</li> <li>Burka</li> <li>Bedding</li> <li>Seat</li> <li>Other</li> </ul>
Soil3	Could anyone see that you had soiled? (That is, was the stain visible to other people)	• No • Yes
Soil4	Where were you when you soiled?	<ul><li>Home</li><li>School</li><li>Somewhere else</li></ul>
Soil5	When/why did you soil? Select all that apply	<ul> <li>Period just started and was unprepared</li> <li>Overnight</li> <li>Bled through absorbent: heavy bleeding</li> <li>Bled through absorbent: could not change when needed to</li> <li>Bled through absorbent: sitting for a long time</li> <li>Bled through absorbent: physical activity/sport</li> <li>Other (specify)</li> </ul>

### Overview of Menstrual Hygiene Experiences: Menstrual Practice Needs Scale (MPNS)

Definition       A participants' experience of managing their menstrual bleeding. Including perceptions of the extent to which the practices and environments used to manage menstrual bleeding meet their needs. <sup>13</sup> Importance to Menstrual Health       Perceptions about menstrual hygiene practices and environments significantly affect how people experience menstruation. Prior research identified a link between perceptions of unmet needs and distress, health, well-being, education, and social participation. <sup>2,13</sup> Measurement Method       All questions: Self-reported by girls on an enumerator- administered survey         General       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.       3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices <i>before</i> perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh and Validation in Cro		
environments used to manage menstrual bleeding meet their needs. <sup>13</sup> Importance to Menstrual       Perceptions about menstrual hygiene practices and environments significantly affect how people experience menstruation. Prior research identified a link between perceptions of unmet needs and distress, health, well-being, education, and social participation. <sup>2,13</sup> Measurement Method       All questions: Self-reported by girls on an enumerator-administered survey         General Considerations       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.       3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale (MNIA, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.	Definition	A participants' experience of managing their menstrual bleeding.
Importance to       Perceptions about menstrual hygiene practices and environments         significantly affect how people experience menstruation. Prior       research identified a link between perceptions of unmet needs and distress, health, well-being, education, and social participation. <sup>2,13</sup> Measurement       All questions: Self-reported by girls on an enumerator-administered survey         General       1. Not all questions are applicable for all respondents.         Considerations       Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.       3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices.         More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS):         Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. BMJ Open, 10, e034461.         http://dx.doi.org/10.1136/bmjopen-2019-034461       http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461       bevelopment of the MPNS-SF in Bangla, as used in the AMEHC study:         Hennegan J, Hasan Md		Including perceptions of the extent to which the practices and
Importance to Menstrual Health       Perceptions about menstrual hygiene practices and environments significantly affect how people experience menstruation. Prior research identified a link between perceptions of unmet needs and distress, health, well-being, education, and social participation. <sup>2,13</sup> Measurement Method       All questions: Self-reported by girls on an enumerator- administered survey         General Considerations       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.         3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461         http://dx.doi.org/10.1136/bmjopen-2019-034461		environments used to manage menstrual bleeding meet their
Menstrual Healthsignificantly affect how people experience menstruation. Prior research identified a link between perceptions of unmet needs and distress, health, well-being, education, and social participation.2.13Measurement MethodAll questions: Self-reported by girls on an enumerator- administered surveyGeneral Considerations1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation. 2. Question order can be modified as appropriate and can be integrated with questions from other surveys. 3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual Ngiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		needs. <sup>13</sup>
Health       research identified a link between perceptions of unmet needs and distress, health, well-being, education, and social participation. <sup>2,13</sup> Measurement       All questions: Self-reported by girls on an enumerator-administered survey         General       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.       3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual Ngiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J., Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.	Importance to	Perceptions about menstrual hygiene practices and environments
Interse in the section perception of a match locus and distress, health, well-being, education, and social participation. <sup>2,13</sup> Measurement Method       All questions: Self-reported by girls on an enumerator-administered survey         General Considerations       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.       3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices.         More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS):         Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. BMJ Open, 10, e034461.         http://dx.doi.org/10.1136/bmjopen-2019-034461       Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Scale Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.	Menstrual	significantly affect how people experience menstruation. Prior
Measurement Method       All questions: Self-reported by girls on an enumerator- administered survey         General Considerations       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.         3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices.         More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalii T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.	Health	research identified a link between perceptions of unmet needs and
Method       administered survey         General Considerations       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2.       Question order can be modified as appropriate and can be integrated with questions from other surveys.         3.       MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices.         More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		distress, health, well-being, education, and social participation. <sup>2,13</sup>
General Considerations       1. Not all questions are applicable for all respondents. Researchers and public health practitioners should select the appropriate questions for their situation.         2. Question order can be modified as appropriate and can be integrated with questions from other surveys.         3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/         Question Source       Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461         Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.	Measurement	All questions: Self-reported by girls on an enumerator-
ConsiderationsResearchers and public health practitioners should select the appropriate questions for their situation.2.Question order can be modified as appropriate and can be integrated with questions from other surveys.3.MPNS creators found asking respondents will likely find it easier to answer about behavioral practices before perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.	Method	administered survey
<ul> <li>appropriate questions for their situation.</li> <li>Question order can be modified as appropriate and can be integrated with questions from other surveys.</li> <li>MPNS creators found asking respondents will likely find it easier to answer about behavioral practices <i>before</i> perceptions of menstrual practices.</li> <li>More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/</li> <li>Question Source Menstrual Practice Needs Scale (MPNS):</li> <li>Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., &amp; Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study:</li> <li>Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>	General	1. Not all questions are applicable for all respondents.
<ol> <li>Question order can be modified as appropriate and can be integrated with questions from other surveys.</li> <li>MPNS creators found asking respondents will likely find it easier to answer about behavioral practices <i>before</i> perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: <u>https://mhevidence.au/measures/mpns/</u></li> <li>Question Source Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., &amp; Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ol>	Considerations	Researchers and public health practitioners should select the
<ul> <li>integrated with questions from other surveys.</li> <li>MPNS creators found asking respondents will likely find it easier to answer about behavioral practices <i>before</i> perceptions of menstrual practices.</li> <li>More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/</li> <li>Question Source</li> <li>Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., &amp; Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>		appropriate questions for their situation.
<ul> <li>3. MPNS creators found asking respondents will likely find it easier to answer about behavioral practices <i>before</i> perceptions of menstrual practices. More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: <u>https://mhevidence.au/measures/mpns/</u></li> <li>Question Source Menstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., &amp; Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>		2. Question order can be modified as appropriate and can be
easier to answer about behavioral practices before perceptions of menstrual practices.More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: <a href="https://mhevidence.au/measures/mpns/">https://mhevidence.au/measures/mpns/</a> Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		integrated with questions from other surveys.
of menstrual practices.More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		3. MPNS creators found asking respondents will likely find it
More information on the Menstrual Practice Needs Scale (including the 36-item, short form and rapid form of the tool) is available online: https://mhevidence.au/measures/mpns/Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		easier to answer about behavioral practices before perceptions
the 36-item, short form and rapid form of the tool) is available online: <a href="https://mhevidence.au/measures/mpns/">https://mhevidence.au/measures/mpns/</a> Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		of menstrual practices.
online: https://mhevidence.au/measures/mpns/Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		More information on the Menstrual Practice Needs Scale (including
Question SourceMenstrual Practice Needs Scale (MPNS): Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., & Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		the 36-item, short form and rapid form of the tool) is available
<ul> <li>Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., &amp; Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>		online: https://mhevidence.au/measures/mpns/
<ul> <li>Schwab, K.J. (2020). Measuring menstrual hygiene experience: Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>	Question Source	Menstrual Practice Needs Scale (MPNS):
<ul> <li>Development and validation of the Menstrual Practice Needs Scale (MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>		Hennegan, J., Nansubuga, A., Smith, C., Redshaw, M., Akullo, A., &
<ul> <li>(MPNS- 36) in Soroti, Uganda. BMJ Open, 10, e034461. http://dx.doi.org/10.1136/bmjopen-2019-034461</li> <li>Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.</li> </ul>		
http://dx.doi.org/10.1136/bmjopen-2019-034461 Development of the MPNS-SF in Bangla, as used in the AMEHC study: Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		
<b>Development of the MPNS-SF in Bangla, as used in the AMEHC study:</b> Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		
<b>study:</b> Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		<u>nttp://ax.aol.org/10.1136/bmjopen-2019-034461</u>
<b>study:</b> Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		Development of the MPNS-SF in Bangla, as used in the AMFHC
Hennegan J, Hasan MdT, Jalil T, et al. The Menstrual Practice Needs Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		
Scale Short Form (MPNS-SF) and Rapid (MPNS-R): Development in Khulna, Bangladesh, and Validation in Cross-Sectional Surveys from Bangladesh and Uganda. Public and Global Health; 2024.		-
from Bangladesh and Uganda. Public and Global Health; 2024.		-
		Khulna, Bangladesh, and Validation in Cross-Sectional Surveys
doi:10.1101/2024.01.22.24301625		
		doi:10.1101/2024.01.22.24301625

Construct's Main Use in the AMEHC Study				
Proximal Exposure	Distal Exposure for:	Covariate for:	Outcome for:	
for:				
Mental Health				
Education				
SRH				

	Included in the Following AMEHC Study Activities*				
Baseline	Baseline	Baseline	Sub-cohort 1	Sub-cohort 2	Sub-cohort 3
Girls Survey	Guardians	School Audit	Survey	Survey	Survey
	Survey				
Х			Х	Х	Х
Wave 1	Wave 1	Wave 2	Wave 2	Wave 2	
Survey	School Audit	Survey	Guardian	School Audit	
			Survey		
Х		Х			

\*Specific questions varied over different data collection activities according to study needs.

#### Menstrual Hygiene Experience: MPNS Survey Questions in AMEHC

**Instructions**: Now I am going to ask you about your experience of managing your period. Women and girls have different preferences and concerns about caring for their bodies during menstruation. I am going to read a series of questions about different experiences that might apply to you. I will ask how often this applied to you during your most recent menstrual period. For each question, I'll ask if this applied to you: never, some of the time, most of the time, always.

Question Number	Question	Response Options
MPN1	During your most recent menstrual period Were your menstrual materials comfortable?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN2	During your most recent menstrual period Did you have enough menstrual materials to change them as often as you wanted to?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN5	During your most recent menstrual period Were you worried that your menstrual materials would allow blood to pass through to your outer garments?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>

MPN7	During your most recent menstrual period Were you worried about how you would get more of your menstrual material if you ran out? (For example, if you needed to purchase materials, retrieve materials from home, or ask someone for materials)	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN11	During your most recent menstrual period Were you able to wash your hands when you wanted to?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN13	During your most recent menstrual period Were you able to dispose of your used materials in the way that you wanted to?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN15	During your most recent menstrual period Were you concerned that others would see your used menstrual materials in the place you disposed of them?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPNS_home	The next few questions ask you about your experie recent menstrual period when you were at home.	-
MPN16	When at home during your most recent period Were you able to change your menstrual materials when you wanted to?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN17	When at home during your most recent period Were you satisfied with the place you used to change your menstrual materials? (For example, if you needed to purchase materials, retrieve materials from home, or ask someone for materials) Note: Changing can also mean putting on or	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
	example, if you needed to purchase materials, retrieve materials from home, or ask someone for materials)	• Most

MPN20	When at home during your most recent period Were you worried that someone would see you while you were changing your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN21	When at home during your most recent period Were you worried that someone would harm you while you were changing your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN_School	Thanks for sharing your experience with me. Now that we've asked about your experience at home, the next few questions ask you about your experience at school during your last menstrual period. Note: If attended school during the most recent period then ask about the most recent period, otherwise if attended school during menstruation in the past 6 months, then ask the respondent to answer for the most recent period she had at school.	
MPN23	<ul> <li>When at school during your most recent period</li> <li>Were you able to change your menstrual materials when you wanted to?</li> <li>Note: This is just that she CAN change WHEN she wants to (that can include if she goes home to change). If she does not need to change then she can always change when she wants to.</li> </ul>	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN24_alt	When at school during your most recent period Were you satisfied with the places available at your school for changing your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN24_alt2	Are you satisfied with the places available at your school for changing your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>

MPN38	During your most recent menstrual period Did you change your menstrual materials at school? Note: Only read the first four response options. The additional response option "never needed to change" is ONLY if a respondent says they never change BECAUSE they have a light flow, or only attend school on their light flow days.	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> <li>Never needed to change during the school day</li> </ul>
MPN27	When at school during your most recent period Were you worried that someone would see you while you were changing your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN28	When at school during your most recent period Were you worried that someone would harm you while you were changing your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN39	When at school during your most recent period Were you worried about the time you needed to travel home (or elsewhere) to change your menstrual materials?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPNS_reuse	I just have a few more questions that ask about yo washing and drying your reusable menstrual mate	
MPN29	During your most recent menstrual period Did you have enough water to soak or wash your menstrual materials? Note: Materials/things are any padding used to absorb/catch menstrual blood.	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN31	During your most recent menstrual period Were you able to wash your menstrual materials whenever you wanted to?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>

MPN35	During your most recent menstrual period Were you worried that your menstrual materials would not be dry when you needed them?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>
MPN36	During your most recent menstrual period Were you worried that others would see your menstrual materials while they were drying?	<ul> <li>Never</li> <li>Some of the time</li> <li>Most of the time</li> <li>Always</li> </ul>

#### **References**

- 1. Hennegan J, Nansubuga A, Akullo A, Smith C, Schwab KJ. The Menstrual Practices Questionnaire (MPQ): development, elaboration, and implications for future research. *Glob Health Action*. 2020;13(1):1829402. doi:10.1080/16549716.2020.1829402
- 2. Hennegan J, Shannon AK, Rubli J, Schwab KJ, Melendez-Torres GJ. Women's and girls' experiences of menstruation in low- and middle-income countries: A systematic review and qualitative metasynthesis. Myers JE, ed. *PLOS Med*. 2019;16(5):e1002803. doi:10.1371/journal.pmed.1002803
- 3. Das P, Baker KK, Dutta A, et al. Menstrual Hygiene Practices, WASH Access and the Risk of Urogenital Infection in Women from Odisha, India. Wilson BA, ed. *PLOS ONE*. 2015;10(6):e0130777. doi:10.1371/journal.pone.0130777
- 4. Daher A, Albaini O, Siff L, Farah S, Jallad K. Intimate hygiene practices and reproductive tract infections: A systematic review. *Gynecol Obstet Clin Med*. 2022;2(3):129-135. doi:10.1016/j.gocm.2022.06.001
- Borg SA, Bukenya JN, Kibira SPS, et al. The association between menstrual hygiene, workplace sanitation practices and self-reported urogenital symptoms in a crosssectional survey of women working in Mukono District, Uganda. *PloS One*. 2023;18(7):e0288942. doi:10.1371/journal.pone.0288942
- Phillips-Howard PA, Otieno G, Burmen B, et al. Menstrual Needs and Associations with Sexual and Reproductive Risks in Rural Kenyan Females: A Cross-Sectional Behavioral Survey Linked with HIV Prevalence. J Womens Health. 2015;24(10):801-811. doi:10.1089/jwh.2014.5031
- Sumpter C, Torondel B. A Systematic Review of the Health and Social Effects of Menstrual Hygiene Management. RezaBaradaran H, ed. *PLoS ONE*. 2013;8(4):e62004. doi:10.1371/journal.pone.0062004
- 8. Torondel B, Sinha S, Mohanty JR, et al. Association between unhygienic menstrual management practices and prevalence of lower reproductive tract infections: a hospital-based cross-sectional study in Odisha, India. *BMC Infect Dis*. 2018;18(1):473. doi:10.1186/s12879-018-3384-2
- 9. Kirk J, Sommer M. Menstruation and body awareness: linking girls' health with girls' education. *R Trop Inst KIT*. 2006;1(3):1-22.
- 10. House S, Mahon T, Cavill S. Menstrual Hygiene Matters: a resource for improving menstrual hygiene around the world. *Reprod Health Matters*. 2013;21(41):257-259.
- 11. Oxley T. Menstrual Management: An Exploratory Study. *Fem Psychol*. 1998;8(2):185-191. doi:10.1177/095935359800800205
- 12. Kissling EA. *Capitalizing on the Curse: The Business of Menstruation*. Lynne Rienner Publishers; 2006.

13. Hennegan J, Nansubuga A, Smith C, Redshaw M, Akullo A, Schwab KJ. Measuring menstrual hygiene experience: development and validation of the Menstrual Practice Needs Scale (MPNS-36) in Soroti, Uganda. *BMJ Open*. 2020;10(2):e034461. doi:10.1136/bmjopen-2019-034461